8	7	6	5	ł	4	3


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	ULTIMATE STRENGTH
1	ASH-66-BC	ANCHOR SHACKLE	2	FORGED STEEL	60,000 LBS.
2	LOO-50-15	OVAL EYE/OVAL EYE	2	FORGED STEEL	50,000 LBS.
3	SYC-56F	SOCKET Y-CLEVIS	2	DUCTILE IRON	30,000 LBS.
4	Y1VS050D	V-STRING YOKE	1	DUCTILE IRON	50,000 LBS.
5	-	VERTICAL BUNDLE ASSEMBLY	-	ALUM./D.I.	25,000 LBS.
6	-	Y-CLEVIS INSULATOR	-	COMPOSITE	-

18.00

-5

(5


6



D

А

This drawing contains confidential information that is the property of MacLean Power, L.L.C. ("MacLean"). Use of MacLean's confidential information without MacLean's express written consent is strictly prohibited and may expose you to legal liability. If you believe that you received this material in error, please destroy it or return it to "MacLean Power, L.L.C., 11411 Addison Street, Franklin Park, Illinois 60131, USA." 8



3.50

15.00

HHHHHHHHHHH

	2	1	
PAPER SIZE		DRAWING NUMBER	
	В	X2VS2YB30B2V	
REV	DATE	DESCRIPTION	REV BY

NOTE: INSULATORS AND CONDUCTOR KIT SOLD SEPARATELY

С

	DRAWING NUMBER:	DO NOT SCA	LE DRAWING	Α
	X2VS2YB30B2V SHEET NAME: 1 OF 1	CAD GENERATED DRAWING DO NOT MANUALLY UPDATE		
	DRAWING DESCRIPTION:	DESIGN DATE: 3/25/24		
м	V-STRING	DRAWN BY:	JIP	
	ASSEMBLY	ENGINEER:		
	ASSLMDLI	APPROVED:		
	DRAWING SCALE:]:]			
	2	1		