



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	ULTIMATE STRENGTH
1	ASH-66-BC	ANCHOR SHACKLE	1	FORGED STEEL	60,000 LBS.
2	SYCR-56	SOCKET Y-CLEVIS	1	DUCTILE IRON	30,000 LBS.
3	Y2TT050D1800	YOKE	1	DUCTILE IRON	50,000 LBS.
4	-	CORONA FREE SUSP. CLAMP	-	ALUMINUM	25,000 LBS.
5	-	Y-CLEVIS INSULATOR	-	COMPOSITE	-

NOTE: INSULATORS AND CONDUCTOR KIT SOLD SEPARATELY

ASSEMBLY CAT. NO. X3SS1YB30A2

This drawing contains confidential information that is the property of MacLean Power, L.L.C. ("MacLean"). Use of MacLean's confidential information without MacLean's express written consent is strictly prohibited and may expose you to legal liability. If you believe that you received this material in error, please destroy it or return it to "MacLean Power, L.L.C., 11411 Addison Street, Franklin Park, Illinois 60131, USA."

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN: **INCHES** TOLERANCES ARE: X +/- 0.1 .XX +/- 0.03 +/- 0.015 .XXX **ANGLES** +/- 1.0



DRAWING NUMBER: DO NOT SCALE DRAWING X3SS1YB30A2 CAD GENERATED DRAWING DO NOT MANUALLY UPDATE SHEET NAME:

SINGLE STRING **ASSEMBLY**

DESIGN DATE: 3/25/24 DRAWN BY: JIP ENGINEER: APPROVED: