
PART NUMBER	ITEM NO.	DESCRIPTION	QTY.	MATERIAL	ULTIMATE STRENGTH
ASH-66-BC	1	ANCHOR SHACKLE	2	FORGED STEEL	60,000 LBS.
LOO-50-15	2	OVAL EYE/OVAL EYE	2	FORGED STEEL	50,000 LBS.
SYC-56F	3	SOCKET Y-CLEVIS	2	DUCTILE IRON	30,000 LBS.
Y1VS050D	4	V-STRING YOKE	1	DUCTILE IRON	50,000 LBS.
-	5	VERTICAL BUNDLE ASSEMBLY	-	ALUM./D.I.	36,000 LBS.
-	6	Y-CLEVIS INSULATOR	-	COMPOSITE	-

SIZE	DRAWING NUMBER		
В	X3VS2YB30B2V		
DATE	DESCRIPTION R	EV I	ВҮ
			_
	В	B X3VS2YB30B2V	B X3VS2YB30B2V



NOTE: INSULATORS AND CONDUCTOR KIT SOLD SEPARATELY

ASSEMBLY CAT. NO. X3VS2YB30B2V

This drawing contains confidential information that is the property of MacLean Power, L.L.C. ("MacLean"). Use of MacLean's confidential information without MacLean's express written consent is strictly prohibited and may expose you to legal liability. If you believe that you received this material in error, please destroy it or return it to "MacLean Power, L.L.C., 11411 Addison Street, Franklin Park, Illinois 60131, USA."

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN:					
INC	HES				
TOLERAN	CES ARE:				
.X	+/- 0.1				
.XX	+/- 0.03				
.XXX	+/- 0.015				
ANGLES	+/- 1.0				



DRAWING NUMBER:	DO NOT SCA	LE DRAWING	
X3VS2YB30B2V SHEET NAME: SHEET1 1 OF 1	CAD GENERATED DRAWING DO NOT MANUALLY UPDATE		
JIILLI I - I - I	DESIGN DATE: 3/25/24		
v-string	DRAWN BY:	JIP	

SIGN DATE: 3/25/24 DRAWN BY: ENGINEER: APPROVED:

ASSEMBLY

DRAWING SCALE: 1:1