
8 7 6 5 4 3

THE BIC OTED		DIGINING NOTIBER		
	В	X3VS2YB50A2		
REV	DATE	DESCRIPTION	REV	В
				_

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	ULTIMATE STRENGTH
1	ASH-66-BC	ANCHOR SHACKLE	2	FORGED STEEL	60,000 LBS.
2	SYCR-87	90° SOCKET Y-CLEVIS	2	DUCTILE IRON	50,000 LBS.
3	Y2V\$050\$1845	TRIANGULAR TANGENT YOKE	1	STEEL	50,000 LBS.
4	-	CF SUSPENSION CLAMP	-	ALUMINUM	25,000 LBS.
5	-	Y-CLEVIS INSULATOR	-	COMPOSITE	-



NOTE: INSULATORS AND CONDUCTOR KIT SOLD SEPARATELY

ASSEMBLY CAT. NO. X3VS2YB50A2

This drawing contains confidential information that is the property of MacLean Power, L.L.C. ("MacLean"). Use of MacLean's confidential information without MacLean's express written consent is strictly prohibited and may expose you to legal liability. If you believe that you received this material in error, please destroy it or return it to "MacLean Power, L.L.C., 11411 Addison Street, Franklin Park, Illinois 60131, USA."

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN:				
INCHES				
TOLERANCES ARE:				
.X	+/- 0.1			
.XX	+/- 0.03			
.XXX	+/- 0.015			
ANGLES	+/- 1.0			

MacLean MacLea

	DRAWING DECODIDETON.	T		
	SHEET NAME: SHEET1] OF]		
X3VS2YB50A2				
	DRAWING NUMBER:			
	DDAWING MUMDED.			

V-STRING

ACCEMABLY

DESIGN DATE: 3/25/24

DRAWN BY: JIP

ENGINEER:

ASSEMBLY
DRAWING SCALE: 1:1
2

DRAWN BY: JIP
ENGINEER:
APPROVED:

DO NOT SCALE DRAWING
CAD GENERATED DRAWING
DO NOT MANUALLY UPDATE